

## 1. GENERAL

### 1.1 Related Scope of Work and UBC Guidelines

- .1 Section 05 00 00 Metals
- .2 Section 09 90 00 Painting & Coating
- .3 UBC Campus Design Guidelines (Vancouver and Okanagan) – for metal screens and finishes installed in the public realm.

### 1.2 Description

1. The Guidelines apply to all work completed on both UBC Vancouver and UBC Okanagan campuses unless stated otherwise.
2. Work includes fencing, screens, guardrails and shelters within 10m of any building.

### 1.3 Coordination

1. In instances where conflicts are found between the UBC Technical Guidelines and provincial regulations or codes, please notify the UBCV Technical Review Team Architect or UBCO Facilities Management.
2. These guidelines are intended to be read by design consultants and their content integrated into construction drawings and specifications. Construction documents are not to reference the technical guidelines directly.
3. The Coordinating Registered Professional (CRP) is required to coordinate these requirements with other disciplines.

### 1.4 Submittals

- .1 Submit required documents to consultants in accordance with Section 013300 Submittal Procedures
- .2 O&M Submittals
  - .1 Product specifications, type and colour.
  - .2 Final reviewed shop drawings for metal fabrications and where required, signed and sealed by a professional engineer registered in the Province of BC.
- .3 Provide Letter of Assurance for 1.5.2.2 above.

## 2. MATERIALS

- .1 All fencing, screens and shelters within 10 meters of a building shall be constructed using non-combustible materials such as metal.

\*\*\*END OF SECTION\*\*\*